




ALGIZ RT7 ETICKET

FULLY RUGGED ANDROID TABLET

FEATURES INCLUDE:

- 7" WSVGA Capacitive Touch Display
- Qualcomm ARM Cortex A53 Quad Core CPU
- 2GB LP-DDR3 Memory Installed
- Built in 2D Barcode Scanner
- 6000 mAh Li-Ion Battery*
- Water & Dust Resistance (IP65)
- MIL-STD-810G Certified
- Android 6.0 Marshmallow OS

* Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions.



UNSURPASSED ETICKETING PERFORMANCE

The Algiz RT7 eTicket is a dependable and efficient tool designed specifically for transit workers — it's reliable, packed with features, lightweight and mobile.

RICH WITH VERSATILE FEATURES

Despite its compact size, the Algiz RT7 eTicket doesn't skimp on battery life or connectivity options. It carries a powerful and rechargeable Li-Ion battery for long days in the field. LTE compatibility keeps your team connected without lag time, anywhere you go. In addition to the sophisticated eTicket RFID reader, the Algiz RT7 eTicket houses an integrated stand-alone u-blox GPS receiver, accelerometer, gyroscope and eCompass, plus a dedicated 2D barcode imager.

RUGGEDNESS YOU CAN DEPEND ON

The Algiz RT7 eTicket's physical design balances full ruggedness and lightweight ergonomics — without compromising either. The Algiz RT7 eTicket was designed from the inside out to be comfortable to hold and easy to carry, resulting in a tablet that weighs just 660 grams.

Yet the Algiz RT7 eTicket also meets stringent MIL-STD-810G military standards for withstanding extreme temperatures, drops and vibrations, and its IP65 rating means it's waterproof and fully protected against sand and dust.

SPECIFICATION

CPU Option(s)	Qualcomm MSM8916 – Quad Core ARM Cortex A53 (1.2 GHz)
Memory	2GB LP-DDR3 Memory Installed
Storage	16GB eMMC1
I/O Interface	USB A Host USB Micro (PC Sync & Charging) RJ45 (Ethernet) 3.5 mm Headset (Stereo & Mic) 3.5 mm DC Inlet Built in: Microphone (1.8W Speaker) 8 Megapixel Rear-facing Camera With Autofocus &LED Illumination 2 Megapixel Front-facing Camera
Expansion	Dual SIM Slots (User Accessible) SDXC slot
RFID	Arconita Mifare Reader Technology
Smart Card Capacity	2 x SAM ISO/IEC 7816 Slots With Up to 1.1 Mbit/s
Scanner	2D Imager (Zebra SE4710)
Communication	PAN BT v4.1 LE (Up to 150m) Cellular (WWAN): - 2.5G (GSM, GPRS,EDGE) / 3G (UMTS, HSPA+) / 4G (LTE) Wireless 802.11 b/g/n 2.4 GHz Integrated With Stand Alone u-blox GPS (EVA-7M, position accuracy with SBAS 2m CEP) NFCIP-1 and NFCIP-2, ISO/IEC14443, ISO/IEC 15693, ISO/IEC 18001 3, MIFARE and FeliCa
Power	AC Adaptor (65W / 100-240V / 50/60Hz)
Battery	Li-Ion, 3.7V 6000 mAh (22.2Wh)
Software	Android 6.0 (Marshmallow) Google GMS (Google Play)
Temperature	Operating: -20 °C to 50 °C - MIL-STD-810G, Method 501.5 / 502.5 Procedure II, III Storage: -40 °C to 70 °C - MIL-STD-810G, Method 501.5 / 502.5 Procedure I

Display	7" WSVGA Chemically Strengthened Glass Display
Resolution	1024 x 600
Touchscreen	Capacitive Multi Touch Screen
Drop	26 drops from 1.22 m (4 ft) MIL-STD-810G, Method 516.6 Procedure IV
Vibration	MIL-STD-810G, Method 514.6 Procedure I
Altitude	4572 m (15,000 ft) MIL-STD-810G, Method 500.5 Procedure I
Sand & Dust	IP65, IEC 60529
Water	IP65, IEC 60529
Dimensions (W x D x H)	216mm x 128mm x 24mm
Weight	660 grams



ALGIZ_RT7_Datasheet_Rev1.pdf

Technical Specifications quoted are verified but do not indicate the maximum performance limitations of the equipment. Specifications are subject to change without notice. E & OE Issue A

